



S20



S20

MAGNETIC TRACK LAMP



MAGNETIC ORBIT



S20 MAGNETIC TRACK LAMP




■ BLACK □ WHITE

Model NO. HS-26A

Track Length 100cm, 150cm, 200cm, 300cm








■ BLACK □ WHITE

Model NO. HS-26B


Track Length 100cm, 150cm, 200cm, 300cm



■ BLACK □ WHITE

Model NO. HS-26C

Track Length 100cm, 150cm, 200cm, 300cm







■ BLACK □ WHITE

Model NO. HS-26D


Track Length 100cm, 150cm, 200cm, 300cm




■ BLACK □ WHITE


Model NO. HS-26E

Track Length 100cm, 150cm, 200cm, 300cm





I connector



Feeder



Soft Connector for Conners




Connectors for pendant track rails



Pendant accessories



DC 48V



All in one power supply



MAGNETIC GRILLE LIGHT

Short


S20 MAGNETIC
TRACK LAMP

Short




BLACK WHITE


Input	Power	Optic	CRI	Beam	CCT
48V	12 / 18 / 24 W	lens	Ra≥90	24°	3000K,4000K,More..



Model NO.: HS26-12TA System Power: 12W




Model NO.: HS26-18TA System Power: 18W



Model NO.: HS26-24TA System Power: 24W




Short



BLACK WHITE


Input	Power	Optic	CRI	Beam	CCT
48V	10 / 20 / 30 W	PC	Ra≥90	120°	3000K,4000K,More..



Model NO.: HS26-300FA System Power: 10W




Model NO.: HS26-600FA System Power: 20W



Model NO.: HS26-900FA System Power: 30W




S20 MAGNETIC TRACK LAMP



BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-6T	48V	6W	Lens	Ra≥90	36°	3000K,4000K,More..



BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-12T	48V	12W	Lens	Ra≥90	36°	3000K,4000K,More..



MAGNETIC GRILLE LIGHT

S20 MAGNETIC
TRACK LAMP

MAGNETIC GRILLE LIGHT

■ BLACK □ WHITE



► 112mm
Model NO.: **HS26-6T** System Power: **6W**



► 220mm
Model NO.: **HS26-12T** System Power: **12W**



► 328mm
Model NO.: **HS26-18T** System Power: **18W**



► 435mm
Model NO.: **HS26-24T** System Power: **24W**




► 543mm
Model NO.: **HS26-30T** System Power: **30W**



► 1080mm
Model NO.: **HS26-60T** System Power: **45W**




S20MAGNETIC TRACK LAMP



BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-6TP	48V	6W	Reflective cup	Ra $\geq$ 90	POLARIZED	3000K,4000K,More..



BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-12TP	48V	12W	Reflective cup	Ra $\geq$ 90	POLARIZED	3000K,4000K,More..




MAGNETIC WALL WASH LIGHT

6W/12W/18W/24W/30W/45W

S20 MAGNETIC
TRACK LAMP

MAGNETIC WALL WASH LIGHT


■ BLACK □ WHITE



► 112mm

Model NO.: **HS26-6TP**

System Power: **6W**



► 220mm

Model NO.: **HS26-12TP**


System Power: **12W**



► 328mm

Model NO.: **HS26-18TP**

System Power: **18W**



► 435mm

Model NO.: **HS26-24TP**


System Power: **24W**



► 543mm

Model NO.: **HS26-30TP**

System Power: **30W**



► 1080mm

Model NO.: **HS26-60TP**


System Power: **45W**



MAGNETIC FLOOD LIGHT


10W/20W/30W

S20 MAGNETIC TRACK LAMP



BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-300F	48V	10W	PC	Ra≥90	120°	3000K,4000K,More..




BLACK WHITE


Model	Input	Power	Optic	CRI	Beam	CCT
HS26-600F	48V	20W	PC	Ra≥90	120°	3000K,4000K,More..

MAGNETIC FLOOD LIGHT


BLACK WHITE




► 300mm
Model NO.: HS26-300F System Power: 10W




► 600mm
Model NO.: HS26-600F System Power: 20W



► 900mm
Model NO.: HS26-900F System Power: 30W



► 1200mm
Model NO.: HS26-1200F System Power: 40W




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-L-300F	48V	20W	PC	Ra≥90	120°	3000K,4000K,More..




S20MAGNETIC
TRACK LAMP




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-6TX	48V	6W	Lens	Ra≥90	24°	3000K,4000K,More..



BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-12TX	48V	12W	Lens	Ra≥90	24°	3000K,4000K,More..




MAGNETIC
GRILLE LIGHT


S20 MAGNETIC
TRACK LAMP

MAGNETIC
GRILLE LIGHT


■ BLACK □ WHITE




► 130mm
Model NO.: **HS26-6TX** System Power: **6W**




► 245mm
Model NO.: **HS26-12TX** System Power: **12W**



► 360mm
Model NO.: **HS26-18TX** System Power: **18W**




► 475mm
Model NO.: **HS26-24TX** System Power: **24W**




► 585mm
Model NO.: **HS26-30TX** System Power: **30W**





BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-300FX	48V	10W	PC	Ra $\geq$ 90	120°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-600FX	48V	20W	PC	Ra $\geq$ 90	120°	3000K,4000K,More..

MAGNETIC FLOOD LIGHT

BLACK WHITE



Model NO.: **HS26-300FX** System Power: **10W**




Model NO.: **HS26-600FX** System Power: **20W**



Model NO.: **HS26-900FX** System Power: **30W**




S20 MAGNETIC TRACK LAMP




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX003-6T	48V	6W	Lens	Ra≥90	36°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX003-12T	48V	12W	Lens	Ra≥90	36°	3000K,4000K,More..




MAGNETIC
FOLDING LIGHT

S20MAGNETIC
TRACK LAMP




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX003-6F	48V	6W	PC	Ra≥90	120°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX003-12F	48V	12W	PC	Ra≥90	120°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX003-5T	48V	12W	Reflective cup	Ra≥90	30°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX003-10T	48V	24W	Reflective cup	Ra≥90	30°	3000K,4000K,More..



BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXM75	48V	9W	Lens	Ra≥90	24°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-HX01 / HS26-HX02	48V	3W	Lens	Ra≥90	24°	3000K,4000K,More..




MAGNETIC
SPOT LIGHT




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX035	48V	7W	Lens	Ra≥90	24°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX045	48V	12W	Lens	Ra≥90	24°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX055	48V	18W	Lens	Ra≥90	24°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX065	48V	24W	Lens	Ra≥90	24°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX060	48V	18W	Lens	Ra≥90	24°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX070	48V	24W	Lens	Ra≥90	24°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX040	48V	7W	Reflective cup	Ra≥90	24°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-Q80	48V	12W	Lens	Ra≥90	24°	3000K,4000K,More..




■ BLACK □ WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXG90	48V	9W	Lens	Ra≥90	24°	3000K,4000K,More..




■ BLACK □ WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXB90	48V	9W	Lens	Ra≥90	120°	3000K,4000K,More..




■ BLACK □ WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXZ90	48V	9W	Lens	Ra≥90	120°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CX100F	48V	7W	Acrylic	Ra≥90	180°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-B80	48V	6W	Glass	Ra≥90	150°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-P95	48V	6W	PC	Ra≥90	180°	3000K,4000K,More..



BLACK WHITE


Model	Input	Power	Optic	CRI	Beam	CCT
HS26-BL150	48V	6W	Glass	Ra≥90	350°	3000K,4000K,More..



S20 MAGNETIC TRACK LAMP



Unit:mm




■ BLACK □ WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-YDL20	48V	3W	Lens	Ra≥90	24°	3000K,4000K,More..




**MAGNETIC
SPOT LIGHT**




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXT035	48V	7W	Lens	Ra≥90	15°-50°	3000K,4000K,More..




BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXT045	48V	12W	Lens	Ra≥90	15°-50°	3000K,4000K,More..



BLACK WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXT055	48V	18W	Lens	Ra≥90	15°-55°	3000K,4000K,More..



BLACK WHITE


Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXT065	48V	24W	Lens	Ra≥90	15°-55°	3000K,4000K,More..



MAGNETIC
SUSPENSION LIGHT




BLACK WHITE



Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXD300	48V	12W	Lens	Ra≥90	24°	3000K,4000K,More..




BLACK WHITE



Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXD300	48V	12W	Lens	Ra≥90	24°	3000K,4000K,More..




BLACK WHITE



Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXDY100	48V	12W	Lens	Ra≥90	24°	3000K,4000K,More..



BLACK WHITE




Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXDY100	48V	12W	Lens	Ra≥90	10°- 55°	3000K,4000K,More..



S20 MAGNETIC TRACK LAMP




BLACK WHITE




Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXD150-DQ	48V	7W	PC	Ra≥90	350°	3000K,4000K,More..



BLACK WHITE




Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXD150-YQ	48V	7W	PC	Ra≥90	350°	3000K,4000K,More..




■ BLACK □ WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-DP95	48V	6W	PC	Ra≥90	180°	3000K,4000K,More..



■ BLACK □ WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-DBL150	48V	6W	Glass	Ra≥90	350°	3000K,4000K,More..




■ BLACK □ WHITE

Model	Input	Power	Optic	CRI	Beam	CCT
HS-CXD100F	48V	7W	Acrylic	Ra≥90	180°	3000K,4000K,More..



MAGNETIC
LIGHT TUBE

S20MAGNETIC
TRACK LAMP



BLACK WHITE


Model	Input	Power	Optic	CRI	Beam	CCT
HS26-SS300F	48V	10W	PC	Ra≥90	180°	3000K,4000K,More..



HS26-SS900F/30W



HS26-SS600F/20W



HS26-SS300F/10W



MAGNETIC
SOFT LIGHT TUBE

S20 MAGNETIC
TRACK LAMP



size: 500mm, 1000mm, 1500mm
2000mm, 3000mm

Model	Input	Power	Optic	CRI	Beam	CCT
HS26-GJ500	48V	8W	Silica gel	Ra≥90	360°	3000K,4000K,More..
HS26-GJ1000		16W				
HS26-GJ1500		24W				
HS26-GJ2000		32W				
HS26-GJ3000		48W				